Conforms to HazCom 2012/ United States

Safety Data Sheet

Section 1. Identification

GHS product Identifier Alumaguard®
Other means of identification Not available

Relevant identified used of the substance or mixtures and uses advised against

Polymer modified bitumen tape used to weatherproof exterior ductwork, piping and other insulated tanks, vessels, and equipment.

Supplier's details Polyguard Products, Inc.

4101 South Interstate 45

Ennis, TX 75119 Tel: (214) 515-5000

Emergency telephone number) with

CHEMTREC, US 1-800-424-9300 International 1-703-527-3887

hours of operation)

(24/7)

Section 2. Hazards Identification

OSHA/HCS status While this material is not considered hazardous by the OSHA Hazardous Communications

Standard (49CFR1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for

employees and other users of this product.

Classification of the substance or

mixture

Not classified

This product is manufactured as an article under the United States Hazard Communication System and is exempted from the regulatory requirements under HCS.

GHS label elements

Signal word No signal word

Hazard statement No known significant effects or critical hazards.

Precautionary statements

PreventionNot applicableResponseNot applicableStorageNot applicableDisposalNot applicableHazards not otherwise classifiedNone known

Section 3. Composition/Information on Ingredients

Substance/Mixture Mixture **Other means of identification** Not available

Ingredient name	%	CAS#
Asphalts	60-80	8052-42-4
Distillates(petroleum), petroleum residues vaccum	60-80	68955-27-1
Hydrogen Sulfide	0.001-0.01	7783-06-4
Limestone	15 - 20	1317-65-3
Crystalline Silica, quartz (inpurity)	0.5 - 1.5	14808-60-7

The exact percentage (concentration) in the composition has been withheld as a trade secret.

Occupational exposure limits, if available are listed in section 8.

None of the components of this article are in a respirable state.

Section 4. First Aid Measures

Description of necessary first aid

measures.

Eye contact Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if symptoms

occur.

Inhalation Because of the nature of this product, inhalation is not a route of exposure.

Skin contact Material is in a solid form. If skin contact, wash area with soap and water. Get medical

attention if skin irritation occurs.

Ingestion Ingestion is not a route of exposure.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contactNo known significant effects or critical hazardsInhalationNo known significant effects or critical hazardsSkin contactNo known significant effects or critical hazardsIngestionNo known significant effects or critical hazards

Over-exposure signs/symptoms

Eye contactNo known significant effects or critical hazardsInhalationNo known significant effects or critical hazardsSkin contactNo known significant effects or critical hazardsIngestionNo known significant effects or critical hazards

Indication of immediate medical attention and special treatment needed, if necessary.

Notes to physician: Treat symptomatically.

Specific treatments No specific treatment

Protection of first aidersNo action shall be taken involving any personal risk or without suitable training.

Section 5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing mediaUse an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media None known

Specific hazards arising from theNo specific fire or explosion hazard.

chemical

Hazardous thermal decomposition Decomposition products may include the following materials:

products Carbon Dioxide Carbon Monoxide

Sulfur oxides

Low MW hydrocarbons

Special protective equipment Fire-fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full-face piece operated in a positive pressure mode.

Special protective actions for fire

fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident is there is a fire. No action shall be taken involving any personal risks or without suitable training.

Section 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures.

For non emergency personal Put on appropriate personal protective equipment.

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in

Section 8 on suitable and unsuitable materials. See also the information in "For non-

emergency personnel."

Environmental precautions Material will not spill.

Methods and materials for containment and cleaning up

Spill Due to the physical state of this material, spills are not possible.

Section 7. Handling and Storage

Precautions for safe handling

Protective measures Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational

hygiene

Eating, drinking and smoking should be prohibited in areas where material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See section 8 for additional information on hygiene measures.

Conditions for safe storage, including

any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry cool and well-ventilated area away from incompatible materials

(see section 10) and food and drink.

Section 8. Exposure Controls/Personal Protection

Occupational exposure limits

Ingredient name	Exposure limits	
Asphalt	NIOSH REL (United States, 10/2016)	
	CEIL: 5 mg/m ³ 15 minutes. Form: fume	
	ACGIH TLV (United States, 3/2019)	
	TWA: 0.5 mg/m ³ , (as benzene soluble aerosol) 8 hours. Form: inhalable fraction.	
Distillates(petroleum), petroleum	None	
residues vaccum		
Hydrogen Sulfide	ACGIH TLV (United States, 3/2018)	
	TWA: 1 ppm 8 hours	
	STEL: 5 ppm 15 minutes	
	OSHA PEL Z2 (United States, 2/2013)	
	CEIL:20 ppm	
	AMP: 50 ppm 10 minutes.	
	NIOSH REL (United States, 10/2016)	
	CEIL: 15 mg/m ³ 10 minutes.	
Limestone	NIOSH REL (United States, 10/2016)	
	TWA: 10 mg/m ³ (total) TWA 5 mg/m ³ (respirable)	
	OSHA PEL (United States, 2/2013)	
	TWA: 15 mg/m ³ (total) TWA 5 mg/m ³ (respirable)	
Crystalline Silica, quartz (inpurity)	NIOSH REL (United States, 10/2016)	
	Ca TWA: 0.05 mg/m ³	

Section 8. Exposure Controls/Personal Protection

Appropriate engineering controlsNo special ventilation requirements. Good ventilation should be sufficient to control

worker exposure to airborne contaminants.

Environmental exposure controlsEmissions from ventilation or work process equipment should be checked to ensure they

comply with the requirements of environmental protection legislation.

Hygiene measure Wash hands, forearms and face thoroughly after handling chemical products, before

eating, smoking, and using the lavatory and at the end of the working period. Ensure that

eyewash stations and safety showers are close to the workstation location.

Eye/face protection Safety eyewear complying with an approved standard should be used when risk

assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases

and dusts.

Skin Protection

Hand protection Chemical- resistant, imprevious gloves complying with an approved standard should be

worn at all times when handling chemical products if a risk assessment indicates this is

necessary.

Body protection Personal protective equipment for the body should be selected based on the task being

preformed and the risks involved and should be approved by a specialist before handling

this product.

Other skin protection Appropriate footwear and any additional skin protection measures should be selected

based on the task being preformed and the risks involved and should be approved by a

specialist before handling this product.

Respiratory protectionBased on the hazard and potential for exposure, select a respirator that meets the

appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and Chemical Properties

Appearance

Physical stateSolidColorSilver

Odor Asphaltic(slight) **Odor threshold** Not available Not applicable pН **Melting point** Not available **Boiling point** Not applicable **Flash Point** Not determined **Evaporation rate:** Not applicable Flammability (solid, gas) Not applicable Lower & upper explosive Not applicable

(flammable) limits

Vapor density Not applicable
Vapor pressure Not applicable

Relative density 1.09

Solubility
Partition coefficient: n- octanol/water
Auto- ignition temperature
Decomposition temperature
Viscosity

Insoluble in water
Not available
Not applicable
Not applicable
Not applicable

VOC 0 g/l

Section 10. Stability and Reactivity

ReactivityNo specific test data related to reactivity available for this product or its

ingredients.

Chemical stability This product is stable.

Possibility of hazardous reactions Under normal conditions of storage and use, hazardous reaction will not

occur.

Conditions to avoid: No specific data.

Incompatible materials Reactive or incompatible with the following materials: Oxidizing

materials

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Asphalt	LD50 Oral	Rat	>5000 mg/kg	-
Hydrogen Sulfide	LC50 Inhalation Gas	Rat	444 ppm	4 hours
	LC50 Inhalation Vapor	Rat	700 mg/m^3	4 hours
Limestone	LD50 Oral	Rat	6450 mg/kg	-
Crystalline Silica, quartz	LD50 Oral	Rat Mouse	500 mg/kg	-
(inpurity)				

Irritation/CorrosionThere is no data availableSensitizationThere is no data availableMutagenicityThere is no data available

Carcinogenicity
Classification

Product/ingredient name	OSHA	IARC	NTP
Asphalt	-	2B	-
Crystalline Silica, quartz (inpurity)	-	1	-

Reproductive toxicity
Teratogenicity
Specific target organ toxicity (single exposure)
Specific target organ toxicity (repeated exposure)
Aspiration hazard
There is no data available

Information on the likely routes of exposureRoutes of entry anticipated: dermal contact

Routes of entry not anticipated: Oral, inhalation, ingestion

Potential acute health effects

Eye contactNo known significant effects or critical hazardsInhalationNo known significant effects or critical hazardsSkin contactNo known significant effects or critical hazardsIngestionNo known significant effects or critical hazards

Symptoms related to the physical, chemical and toxicological characteristics

Eye contactNo known significant effects or critical hazardsInhalationNo known significant effects or critical hazardsSkin contactNo known significant effects or critical hazardsIngestionNo known significant effects or critical hazards

Section 11. Toxicological Information

Delayed and immediate effects and chronic effects from short- and long-term exposure

Short term exposure

Potential immediate effects

No known significant effects or critical hazards

Potential delayed effects

No known significant effects or critical hazards

Long term exposure

Potential immediate effects

No known significant effects or critical hazards

Potential delayed effects

No known significant effects or critical hazards

Potential chronic health effects

GeneralNo known significant effects or critical hazardsCarcinogenicityNo known significant effects or critical hazardsMutagenicityNo known significant effects or critical hazardsTeratogenicityNo known significant effects or critical hazardsDevelopmental effectsNo known significant effects or critical hazardsFertility effectsNo known significant effects or critical hazards

Numerical measures of toxicity

Acute toxicity estimates There is no data available

Section 12. Ecological Information

Toxicity

Product/ingredient name	Result	Species	Exposure
Hydrogen Sulfide	Acute EC50 62 µg/L Fresh water	Crustaceans-Gammarus pseudolimnaeus	2 days
	Acute LC50 2 μg/L Fresh water	Fish- Coregonus clupeaformis- Yolk	96 hours
		Sac fry	

Persistence and degradability
Bioaccumulative potential
Mobility in soil
There is no data available
There is no data available

Mobility in soil

Soil/water partition coefficient (Koc) There is no data available.

Other adverse effects No known significant effects or critical hazards

Section 13. Disposal Considerations

Disposal methodsThe generation of waste should be avoided or minimized wherever possible. Disposal of this product,

solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Section 14. Transportation Information

AERG: Not applicable

Regulatory Information:

DOT/TDG/IMDG/IATA Not regulated

Polyguard Products, Inc.

Tel: 214-515-5000

www.polyguardproducts.com

6/7

Section 15. Regulatory Information

U.S. Federal regulations: TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Not listed

United States inventory (TSCA 8 b): all components are listed or exempted

Clean Air Act Section 112 (b)

Hazardous air pollutants

(HAPs)

Clean Air Act (CAA) Section Not listed

602 Class I Substances

Clean Air Act (CAA) Section Not listed

602 Class II Substances

DEA List I ChemicalsNot listed

(Precursor chemicals)

DEA List II Chemicals Not listed

(Essential Chemicals)

SARA 302/304

Composition/information on ingredients

SARA 304 RQ Not applicable
SARA 311/312 Not applicable
SARA 313 Not applicable

State regulations

MassachusettsThe following components are listed: Petroleum asphaltNew JerseyThe following components are listed: Petroleum asphalt

New York None of the components are listed

Pennsylvania The following components are listed: Petroleum asphalt

California Prop.65 None of the components are listed on the Prob 65 list dated 1-3-2020.

16. Other Information

Date of revision 3-20-2020 Date of previous issue 3-9-2017

Revisions Update product composition information

Version

Prepared by C. Rogalski

Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.