## INSULATION FOR THE OIL AND GAS INDUSTRY

## Arma-Chek® D

Non-adhesive fabric tape for ArmaFlex<sup>®</sup> insulation to help reduce installation time



www.armacell.com/energy







## **TECHNICAL DATA – ARMA-CHEK D**

Brief description	Flexible, woven glass fibre fabric that is used to reduce total insulation build-up time.		
Material type	Woven, glass fibre, dry-wrap flexible material, non-adhesive.		
Colour	Blue		
Product range	Non-adhesive tape in 75mm width, 100m rolls.		
Installation	The ArmaFlex® and Arma-Chek® installation manual should be consulted before installation. Please consult Technical Services.		
Property	Value/Assessment		Standard/Test method
Temperature range			
Service temperature	Max. service temperature +125 °C	+257 °F	Tested according to EN 14304
	Min. service temperature -50 °C	-58 °F	
Density			
Density	214 g/m² ±5%		Tested according to DIN EN 12127
Thickness	0.18 mm		Tested according to ASTM C1777

All data and technical information are based on results achieved under the specific conditions defined according to the testing standards referenced. It is the customer's responsibility to verify if the product is suitable for the intended application. The responsibility for professional and correct installation and compliance with relevant regulations and project specification lies with the customer. Armacell takes every precaution to ensure the accuracy of the data provided in this document and all statements, technical information and recommendations contained within are believed to be correct at the time of publication. By ordering/receiving product you accept the **Armacell General Terms and Conditions of Sale** applicable in the region. Please request a copy if you have not received these.

© Armacell, 2019. Arma-Chek is a trademark of the Armacell Group. © and ™ are trademarks of the Armacell Group and is registered in the European Union, United States of America, and other countries. 00097 | Arma-Chek | Ar

## ABOUT ARMACELL

As the inventors of flexible foam for equipment insulation and a leading provider of engineered foams, Armacell develops innovative and safe thermal, acoustic and mechanical solutions that create sustainable value for its customers. Armacell's products significantly contribute to global energy efficiency making a difference around the world every day. With 3,100 employees and 24 production plants in 16 countries, the company operates two main businesses, Advanced Insulation and Engineered Foams. Armacell focuses on insulation materials for technical equipment, high-performance foams for high-tech and lightweight applications and next generation aerogel blanket technology.



For more information, please visit: www.armacell.com/energy