### Safety Data Sheet

### Section 1. Identification

GHS product Identifier	Polyguard Alumaguard <sup>®</sup> Cool Wrap
Other means of identification	Not available
Relevant identified used of the substar	nce or mixtures and uses advised against
Water proofing/Vapor Barrier used on in	sulated duct and piping applications.
Supplier's details	Polyguard Products, Inc.
	4101 South Interstate 45
	Ennis, TX 75119
	Tel: (214) 515-5000
Emergency telephone number) with	CHEMTREC, US 1-800-424-9300 International 1-703-527-3887
hours of operation)	(24/7)

#### **Section 2. Hazards Identification**

OSHA/HCS status	While this material is not considered hazardous by the OSHA Hazardous Communications
	Standard (49CFR1910.1200), this SDS contains valuable information critical to the safe
	handling and proper use of the product. This SDS should be retained and available for
	employees and other users of this product.
Classification of the substance or	Not classified
mixture	

This product is manufactured as an article under the United States Hazard Communication System and is exempted from the regulatory requirements under HCS.

GHS label elements	
Signal word	No signal word
Hazard statement	No known significant effects or critical hazards.
Precautionary statements	
Prevention	Not applicable
Response	Not applicable
Storage	Not applicable
Disposal	Not applicable
Hazards not otherwise classified	None known

## Section 3. Composition/Information on Ingredients

Substance/Mixture	Mixture
Other means of identification	Not available

Ingredient name	%	CAS #
Asphalts	60-80	8052-42-4
Distillates( petroleum), petroleum residues vaccum	60-80	68955-27-1
Hydrogen Sulfide	0.001-0.01	7783-06-4
Limestone	15 - 20	1317-65-3
Crystalline Silica, quartz (inpurity)	0.5 – 1.5	14808-60-7

The exact percentage (concentration) in the composition has been withheld as a trade secret.

Occupational exposure limits, if available are listed in section 8.

None of the components of this article are in a respirable state.

### **Section 4. First Aid Measures**

Description of necessary first aid	
measures.	
Eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if symptoms occur.
Inhalation	Because of the nature of this product, inhalation is not a route of exposure.
Skin contact	Material is in a solid form. If skin contact, wash area with soap and water. Get medical
	attention if skin irritation occurs.
Ingestion	Ingestion is not a route of exposure.
Most important symptoms/effects, a	cute and delayed
Potential acute health effects	
Eye contact	No known significant effects or critical hazards
Inhalation	No known significant effects or critical hazards
Skin contact	No known significant effects or critical hazards
Ingestion	No known significant effects or critical hazards
Over-exposure signs/symptoms	
Eye contact	No known significant effects or critical hazards
Inhalation	No known significant effects or critical hazards
Skin contact	No known significant effects or critical hazards
Ingestion	No known significant effects or critical hazards
Indication of immediate medical att	ention and special treatment needed, if necessary.
Notes to physician:	Treat symptomatically.
Specific treatments	No specific treatment
Protection of first aiders	No action shall be taken involving any personal risk or without suitable training.

# Section 5. Fire-Fighting Measures

Extinguishing media	
Suitable extinguishing media	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	None known
Specific hazards arising from the	No specific fire or explosion hazard.
chemical	
Hazardous thermal decomposition	Decomposition products may include the following materials:
products	Carbon Dioxide
	Carbon Monoxide
	Sulfur oxides
	Low MW hydrocarbons
Special protective equipment	Fire-fighters should wear appropriate protective equipment and self-contained breathing
	apparatus (SCBA) with a full-face piece operated in a positive pressure mode.
Special protective actions for fire	Promptly isolate the scene by removing all persons from the vicinity of the incident is there
fighters	is a fire. No action shall be taken involving any personal risks or without suitable training.

## Section 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures.		
For non emergency personal	Put on appropriate personal protective equipment.	
For emergency responders	If specialized clothing is required to deal with the spillage, take note of any information in	
	Section 8 on suitable and unsuitable materials. See also the information in "For non- emergency personnel."	
<b>Enviromental precautions</b>	Material will not spill.	
<u>Methods and materials for containm</u> Spill	ent and cleaning up Due to the physical state of this material, spills are not possible.	

# Section 7. Handling and Storage

<u>Precautions for safe handling</u>	Put on appropriate personal protective equipment (see Section 8).
Protective measures	Eating, drinking and smoking should be prohibited in areas where material is handled,
Advice on general occupational	stored and processed. Workers should wash hands and face before eating, drinking and
hygiene	smoking. See section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry cool and well-ventilated area away from incompatible materials (see section 10) and food and drink.

# Section 8. Exposure Controls/Personal Protection

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Asphalt	NIOSH REL (United States, 10/2016)
•	CEIL: 5 mg/m <sup>3</sup> 15 minutes. Form: fume
	ACGIH TLV (United States, 3/2019)
	TWA: 0.5 mg/m <sup>3</sup> , (as benzene soluble aerosol) 8 hours. Form: inhalable fraction.
Distillates( petroleum), petroleum	None
residues vaccum	
Hydrogen Sulfide	ACGIH TLV (United States, 3/2018)
,	TWA: 1 ppm 8 hours
	STEL: 5 ppm 15 minutes
	OSHA PEL Z2 (United States, 2/2013)
	CEIL:20 ppm
	AMP: 50 ppm 10 minutes.
	NIOSH REL (United States, 10/2016)
	CEIL: 15 mg/m <sup>3</sup> 10 minutes.
Limestone	NIOSH REL (United States, 10/2016)
	TWA: 10 mg/m <sup>3</sup> (total) TWA 5 mg/m <sup>3</sup> (respirable)
	OSHA PEL (United States, 2/2013)
	TWA: 15 mg/m <sup>3</sup> (total) TWA 5 mg/m3 ( respirable)
Crystalline Silica, quartz (inpurity)	NIOSH REL (United States, 10/2016)
	Ca TWA: 0.05 mg/m <sup>3</sup>

Polyguard Products, Inc.	Tel: 214-515-5000 www.polyguardproducts.com	3/7
· ···· gual a · ····· ····	www.polyguardproducts.com	

## Section 8. Exposure Controls/Personal Protection

Appropriate engineering controls	No special ventilation requirements. Good ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.
Hygiene measure	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking, and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	Safety eyewear complying with an approved standard should be used when risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases and dusts.
Skin Protection	
Hand protection	Chemical- resistant, imprevious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	Personal protective equipment for the body should be selected based on the task being preformed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being preformed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training , and other important aspects of use.

# Section 9. Physical and Chemical Properties

Appearance	
Physical state	Solid
Color	Silver/white
Odor	Asphaltic(slight)
Odor threshold	Not available
pH	Not applicable
Melting point	Not available
Boiling point	Not applicable
Flash Point	Not determined
Evaporation rate:	Not applicable
Flammability (solid, gas)	Not applicable
Lower & upper explosive	Not applicable
(flammable) limits	
Vapor density	Not applicable
Vapor pressure	Not applicable
Relative density	1.09
Solubility	Insoluble in water
Partition coefficient: n- octanol/water	Not available
Auto- ignition temperature	Not applicable
Decomposition temperature	Not applicable
Viscosity	Not applicable
VOC	0 g/l

### Section 10. Stability and Reactivity

#### **Reactivity**

**Chemical stability Possibility of hazardous reactions** 

**Conditions to avoid: Incompatible materials** 

Hazardous decomposition products

No specific test data related to reactivity available for this product or its ingredients. This product is stable. Under normal conditions of storage and use, hazardous reaction will not occur. No specific data. Reactive or incompatible with the following materials: Oxidizing materials Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### Section 11. Toxicological Information

#### **Information on toxicological effects Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
Asphalt	LD50 Oral	Rat	>5000 mg/kg	-
Hydrogen Sulfide	LC50 Inhalation Gas	Rat	444 ppm	4 hours
	LC50 Inhalation Vapor	Rat	$700 \text{ mg/m}^3$	4 hours
Limestone	LD50 Oral	Rat	6450 mg/kg	-
Crystalline Silica, quartz	LD50 Oral	Rat Mouse	500 mg/kg	-
(inpurity)				

Irritation/Corrosion Sensitization **Mutagenicity** Carcinogenicity Classification

There is no data available There is no data available There is no data available

Product/ingredient name	OSHA	IARC	NTP
Asphalt	-	2B	-
Crystalline Silica, quartz (inpurity)	-	1	-

<u>Reproductive toxicity</u> <u>Teratogenicity</u> <u>Specific target organ toxicity (single exposure)</u> <u>Specific target organ toxicity (repeated exposure)</u>	There is no data available There is no data available There is no data available There is no data available
Aspiration hazard	There is no data available
Information on the likely routes of exposure	Routes of entry anticipated: dermal contact
	Routes of entry not anticipated: Oral, inhalation, ingestion
Potential acute health effects	
Eye contact	No known significant effects or critical hazards
Inhalation	No known significant effects or critical hazards
Skin contact	No known significant effects or critical hazards
Ingestion	No known significant effects or critical hazards
Symptoms related to the physical, chemical and tox	icological characteristics
Eye contact	No known significant effects or critical hazards
Inhalation	No known significant effects or critical hazards
Skin contact	No known significant effects or critical hazards
Ingestion	No known significant effects or critical hazards

Tel: 214-515-5000 Polyguard Products, Inc. www.polyguardproducts.com

### **Section 11. Toxicological Information**

Delayed and immediate effects and chronic effects f	<u>rom short- and long-term exposure</u>
Short term exposure	
Potential immediate effects	No known significant effects or critical hazards
Potential delayed effects	No known significant effects or critical hazards
Long term exposure	-
Potential immediate effects	No known significant effects or critical hazards
Potential delayed effects	No known significant effects or critical hazards
Potential chronic health effects	
General	No known significant effects or critical hazards
Carcinogenicity	No known significant effects or critical hazards
Mutagenicity	No known significant effects or critical hazards
Teratogenicity	No known significant effects or critical hazards
Developmental effects	No known significant effects or critical hazards
Fertility effects	No known significant effects or critical hazards
Numerical measures of toxicity	
Acute toxicity estimates	There is no data available

#### Section 12. Ecological Information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Hydrogen Sulfide	Acute EC50 62 µg/L Fresh water	Crustaceans-Gammarus pseudolimnaeus	2 days
	Acute LC50 2 µg/L Fresh water	Fish- Coregonus clupeaformis- Yolk	96 hours
		Sac fry	

data available
data available
data available.

**Other adverse effects** 

No known significant effects or critical hazards

#### **Section 13. Disposal Considerations**

Disposal methodsThe generation of waste should be avoided or minimized wherever possible. Disposal of this product,<br/>solutions and any by-products should comply with the requirements of environmental protection and<br/>waste disposal legislation and any regional local authority requirements. Empty containers or liners<br/>may retain some product residues. This material and its container must be disposed of in a safe way.<br/>Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

### **Section 14. Transportation Information**

AERG: Not applicable Regulatory Information: DOT/TDG/IMDG/IATA Not regulated

Polyguard Products, Inc.

#### **Section 15. Regulatory Information**

U.S. Federal regulations:	TSCA 8(a) CDR Exempt/Partial exemption: Not determined United States inventory (TSCA 8 b): all components are listed or exempted
Clean Air Act Section 112 (b)	Not listed
Hazardous air pollutants	
(HAPs)	
Clean Air Act (CAA) Section	Not listed
602 Class I Substances	
Clean Air Act (CAA) Section	Not listed
602 Class II Substances	
<b>DEA List I Chemicals</b>	Not listed
( Precursor chemicals)	
<b>DEA List II Chemicals</b>	Not listed
(Essential Chemicals)	
SARA 302/304	
Composition/information on in	<u>gredients</u>
SARA 304 RQ	Not applicable
SARA 311/312	Not applicable
SARA 313	Not applicable
State regulations	
Massachusetts	The following components are listed: Petroleum asphalt
New Jersey	The following components are listed: Petroleum asphalt
New York	None of the components are listed
Pennsylvania	The following components are listed: Petroleum asphalt
<u>California Prop.65</u>	None of the components are listed on the Prob 65 list dated 1-3-2020.
	-

#### **16. Other Information**

Date of revision	5/5/2020
Date of previous issue	3/13/2015
Revisions	Update company address
	Update company phone number Update product composition information
Version	4
Prepared by	C. Rogalski

Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.